



BFS

High Pressure Concrete Pipe Equipment



Manufacture with confidence:

- Pre-stressed Concrete Cylinder Pipes (PCCP Pipes)
- Pre-stressed Concrete Spun Pipes (PCSP Pipes)
- BFS service and support from start to finish

www.afinitas.com

A Legacy of Pipe Innovation

Afinitas company BFS has been designing and producing quality high pressure concrete pipe equipment for more than 50 years. BFS technology has influenced the development of the pressure pipe production equipment used today worldwide. Therefore, BFS technical specialists are a valuable resource to assist with the design and implementation of complete turnkey plants, from the feasibility studies to the commissioning of the plant. In addition, BFS equipment meets the pipe production requirements of both European requirements (EN) and those of the American Water Works Association (AWWA) and most other rigorous standards for quality. For these reasons, whether you are producing Pre-stressed Concrete Cylinder Pipes (PCCP Pipes) or Pre-stressed Concrete Spun Pipes (PCSP Pipes), BFS expertise helps you manufacture with confidence.

BFS Service Never Stops

From the start of the project, BFS is there to help you select the right system to meet your specific requirements. To assist in this, the BFS team provides an initial design of the factory layout as well as pertinent technical and financial details. Once your system has been selected, BFS will manufacture the equipment in order to match your specifications and to ensure it is expertly installed and commissioned. Further, BFS technicians are there for the start up of your production run and to provide training to your personnel to achieve the best quality products.

Pressure Pipe Sizes

Pressure Pipes	Pre-stressed Concrete Cylinder Pipe (PCCP)	Pre-stressed Concrete Spun Pipe (PCSP)
Normal Nominal Diameters	400 mm up to 4000 mm (15" to 150")	300 mm up to 2800 mm (12" to 110")
Nominal Lengths	up to 8000 mm (26")	5000 mm up to 7000 mm (16" to 21")

Pre-stressed Concrete Cylinder Pipes (PCCP)

PCCP pipes are mainly manufactured in two different ways:

- PCCP with steel cylinders embedded into the concrete (ECP)
- PCCP with steel cylinders lined by concrete (LCP)

BFS offers a complete line of machines and ancillary equipment for both manufacturing methods. When using the vertical casting process, a steel cylinder is embedded inside the pipe concrete wall. The steel cylinder guarantees impermeability at operating pressures more than 20 bar (290 psi). After steam curing, the core is typically circumferential pre-stressed using a machine to wind a cold drawn high tensile steel wire designed to counteract the working pressure of the designed pipeline.

PCCP Pipes: BFS Production Equipment Features:

- Specific design of vertical moulds
- Strong and solid mould construction
- Easy hydraulic openings of inner and outer mould
- Uniform concrete distribution by a specifically designed motorized cone
- Strong vibration on the inner and outer mould by means of turbo vibrators
- Clever progressive vibrating system along the mould
- Steam curing of each casting mould
- BFS circumferential pre-stressing machine which is very reliable in maintaining the constant pull and pitch of the steel wire along the entire length of the pipe, for an optimal and uniform resistance to pipeline water pressure.
- MRC machine to perform an accurate concrete compacted coating protection of the post compression steel spiral



PCCP pipe core production area





Automatic Steel Cylinder Welding Machine



Steel Cylinders

Pre-stressed Concrete Embedded Cylinder Pipes (PCCP)





Finished Product and Steel Cylinder Storage Area



Core pipe circumferential prestressing



Radial Pre-stressed Concrete Cylinder Pipe



BFS

High Pressure Concrete Pipe Equipment

BFS Pre-stressed Concrete Spun Pipes (PCSP)

Using BFS Vibro-Press Spinning Technology, BFS pre-stressed concrete spun pipes are trusted worldwide for their high compaction and concrete density achieved, as well as the reliability of the pipelines using concrete joints with single or double rubber ring gasket.

Contact a BFS sales specialist
to help design your system -
www.afinitas.com



PCSP Pipes: BFS Production Equipment Features:

- Specific design of spun moulds
- Strong and solid mould construction
- High performances of the special BFS spinning machine:
 - 30 m/s (98 ft/s) peripheral speed
 - Hydraulic-movable wheels for covering a wide range of diameters
 - Steam curing and water curing of each pipe
 - Special BFS vibration systems activated during the concrete pouring process to strongly compact concrete especially at the pipe joint area. The spinning machine's compacting roller expertly compacts and creates a smooth pipe inner surface
- BFS circumferential pre-stressing machine is very reliable in maintaining the constant pull and pitch of the steel wire along the entire length of the pipe, guarantees an optimal and uniform resistance to pipeline water pressure.
- MRC machine performs an accurate concrete compacted coating protection of the post compression steel spiral.

Pre-stressed Concrete Spun Pipe Section



Post-compression



Systems for pre-stressed Steel Cylinder Pipes (PCCP) – Mortar Coating Machine; in order to protect the steel wires against corrosion



Spun pipes water curing

Systems for pre-stressed Spun Pipes (PCSP) – Demolding Process of a cured Pre-stressed Concrete Spun Pipe



PCSP pre-stressing wire preparation



Newly manufactured Spun Mould ready for dispatch


Systems for pre-stressed spun pipes (PCSP) – Layout of a pre-stressed Concrete Spun Pipe Plant



Core pipe circumferential pre-stressing



Concrete Pipe Spinning Machine



Our Service Saves Time and Money

Afinitas brings together the engineering strengths and technical expertise of the trusted HawkeyePedershaab and BFS teams. Our global reach and depth of knowledge assures disruption-free operations and helpful advice on how to achieve optimal, efficient results.

Phone +49 7344 960355 | email: bfs.service@afinitas.com



BFS High Pressure Concrete Pipe Equipment

Equipment & Automation
BFS | HawkeyePedershaab



Forming Systems
New Hampton | Spillman

Concrete Accessories
CAM | HawkeyePedershaab | Spillman



Intelligent Infrastructure Solutions
Visit www.afinitas.com to learn more.

Afinitas Equipment and Automation Division

North America

Afinitas
506 S. Wapello St.
Mediapolis, Iowa 52637
Phone: +1 319-394-3197
info@afinitas.com

Parts

Phone: +1 319-394-2240
hawkeyeparts@afinitas.com

Service

Phone: +1 319-394-2270
hawkeyetech@afinitas.com

Denmark

Afinitas A/S
Saltumvej 25
9700 Brønderslev, Denmark
Phone: +45 9645 4000
info-DK@afinitas.com

Parts

Phone: +45 9645 4172
aftersales@afinitas.com

Service

Phone: +45 9645 4050
pedershaabtech@afinitas.com

Germany

Afinitas GmbH
Dr. -Georg-Spohn-Str. 31
89143 Blaubeuren, Germany
Phone: +49 7344 96030
info-DE@afinitas.com

Parts

Phone: +49 7344 9603-77
bfs.spareparts@afinitas.com

Service

Phone: +49 7344 9603-55
bfs.service@afinitas.com

Italy

Afinitas srl
Viale Venezia 79/G
33074 Fontanafredda, Italy
Phone: +39 0434 599211
info-ITA@afinitas.com

Parts

Phone: +39 0434 599211
info-ITA@afinitas.com

Service

Phone: +39 0434 599211
info-ITA@afinitas.com



Intelligent
Infrastructure
Solutions

Afinitas is a global, comprehensive and customer-oriented infrastructure equipment and services platform that brings together the expertise of HawkeyePedershaab, BFS, New Hampton Metal Fabrication, Spillman, and CAM Products.

Headquarters: 8040 Forsyth Blvd. | St. Louis, MO 63105 USA | +1 314-726-2178 | info@afinitas.com